



### Hinges & Brackets

For full product information please click on an image











Glass Unlimited - Fittings



















**BACK** 





#### Code: UH.W100.XX


- Accommodates 10 to 12mm glass
- Available with 0° closed preset position or fully adjustable
- Offset wall mount plate for clean site line
- Available in multiple finishes

This back plate configuration is the most commonly used solution for wall mounted doors. The door can swing 90° inwards or 90° outwards.

Maximum Capacities	Weight	Door Width
Using 2 Hinges	50kg	914mm
Using 3 Hinges	63kg	914mm

10mm Glass = 25kg per sq/m - max height: 2.4m 12mm Glass = 30kg per sq/m - max height: 2.7m

#### Offset Wall Mount Plate Hinge















#### Code: UH.W200.XX


- Accommodates 10 to 12mm glass
- Adjustable to any angle up to 90°
- Available with 0° closed preset position or fully adjustable
- Available in multiple finishes

The full back plate hinge is most suited to nib walls where there is a limited area to fix to. The doors can swing 90' inwards or 90' outwards.

Maximum Capacities	Weight	Door Width
Using 2 Hinges	50kg	914mm
Using 3 Hinges	63kg	914mm

10mm Glass = 25kg per sq/m - max height: 2.4m 12mm Glass = 30kg per sq/m - max height: 2.7m

#### Adjustable Wall Mount Full Back Plate Hinge



Finishes:









Brushed Nickel






Code: UH.G180.XX

- Accommodates 10 to 12mm glass
- Available with 0° closed preset position or fully adjustable
- Available in multiple finishes

The door can swing 90° inward or 90° outward.

Maximum Capacities	Weight	Door Width
Using 2 Hinges Using 3 Hinges	50kg 63kg	914mm 914mm
10mm Glass = 25kg per sq 12mm Glass = 30kg per sq	_	








- Accommodates 10 to 12mm glass
- 135° glass-to-glass
- Available in multiple finishes

This 135° glass-to-glass hinge is designed for pentangle shower areas with a 90° outward openeing.

Maximum Capacities	Weight	Door Width
Using 2 Hinges Using 3 Hinges	50kg 63kg	914mm 914mm
10mm Glass = 25kg per sq/m - max height: 2.4m 12mm Glass = 30kg per sq/m - max height: 2.7m		







#### Code: UH.G90.XX


- Accommodates 10 to 12mm glass
- 90° glass-to-glass wall hinge
- Available in multiple finishes

The 90' glass-to-glass hinge enables a door to be hinged off the end of a glass panel at 90°. The door has the option of swinging 90° inwards or 90° outwards.

Maximum Capacities	Weight	Door Width
Using 2 Hinges Using 3 Hinges	50kg 63kg	914mm 914mm
10mm Glass = 25kg per sg/m - max height: 2.4m		

12mm Glass = 30kg per sq/m - max height: 2.7m

#### 90° Glass-to-Glass Hinge










- Accommodates 10 to 12mm glass
- Top or bottom mount
- Available in multiple finishes

Top and Bottom Mount Pivot Hinges are designed for use with 10 or 12mm thick tempered safety glass. Some advantages of the Top and Bottom Mount Pivot Hinges include the fact that they carry the majority of the door weight on the bottom hinge, and have the ability to be inset from the door edge, enabling sufficient clearance for towel bars or other projections. The pivot has a 0° stop position and will open inwards 90° and outwards 90°.

Maximum Capacities	Weight	Door Width
Using 2 Hinges Using 3 Hinges	50kg 63kg	914mm 914mm
10mm Glass = 25kg per sq/m - max height: 2.4m 12mm Glass = 30kg per sq/m - max height: 2.7m		








- Accommodates 10 to 12mm glass
- Recommended for use as entry doors to bathroom/shower area or shower door
- Hold open or no hold open option
- Adjustable closing speed
- Available in two finishes

This Hydraulic 90° Wall Hinge swings in and out a full 90°, with stops at 0°, +90°, and -90°. Closing speed can be adjusted. For doors up to 1m wide. Maximum weight per two hinges is 100 kg.

- 10mm Glass = 25kg per sq/m Max Height = 2.4m
- 12mm Glass = 30kg per sq/m Max Height = 2.7m

# Hydraulic 90° Wall Hinge



Finishes:








- Accommodates 10 to 12mm glass
- · Recommended for use as entry doors to bathroom/shower area or shower door
- Hold open or no hold open option
- Adjustable closing speed
- Available in two finishes

This 180° Glass-to-Glass Hinge swings in and out a full 90°, with stops at 0°, +90°, and -90°. Closing speed can be adjusted. For doors up to 1m wide. Maximum weight per two hinges is 100kg.

- 10mm Glass = 25kg per sq/m Max Height = 2.4m
- 12mm Glass = 30kg per sq/m Max Height = 2.7m

#### Hydraulic 180° Glass-to-Glass Hinge



Finishes:








#### Code: UH.HW100.XX

- Accommodates 10 to 12mm glass
- Recommended for Use as entry doors to bathroom/shower area or steam shower door
- Hold open or no hold open option
- Adjustable closing speed
- Available in two finishes

This One Way Swinging Wall Mount Hinge Ideal for hermetic closing. Swings one way a full 90°, with stops at 0° and 90°. Closing speed can be adjusted. For doors up to 1m wide. Maximum weight per two hinges is 100kg.

- 10mm Glass = 25kg per sq/m Max Height = 2.4m
- 12mm Glass = 30kg per sq/m Max Height = 2.7m









- Accommodates 10 to 12mm glass
- Available in both small and large leg models
- Available in multiple finishes

Fixed Panel Square Clamp (With Small Leg) mount directly to the wall, ceiling or floor to secure vertical fixed glass panels. The Clamp's 90° leg provides extra strength.

#### Fixed Panel Square Clamp With Small Leg





Front View

**Rear View** 

Finishes:









Please note: Finish images are not a true representation of colour of final product however our finishes listed will match be used as a guide only. 'XX' in the code

Please note: Finish images are not a true representation of colour of final product however our finishes listed will match other bathroom products. These should be used as a guide only. 'XX' in the code





- Accommodates 10 to 12mm glass
- Used to secure fixed panels of glass for frameless shower enclosures
- A Notch is cut in the glass so that the panel touches the wall giving the same finish as an L bracket but without an L leg
- Available in multiple finishes

Square Wall Mount Clamp (Notch-in-Glass Style) mount directly to the wall or ceiling to secure vertical fixed glass panels.

Finishes:


# In-line clamp 51mm 51mm Front View **Rear View**





- Accommodates 10 to 12mm glass
- Used to secure inline fixed panels of glass for frameless shower enclosures
- Available in multiple finishes

The 180° Glass-to-Glass Clamp can be used in most situations to connect together two glass panels meeting in line.









- Accommodates 10 to 12mm glass
- Used to secure two panels of glass together at 90°
- Available in multiple finishes

The 90° clamp will secure either two butt joint panels together or two equal back mitre panels together to make an internal angle of 90°.

#### Square 90° Glass-to-Glass Clamp





Front View

Rear View

Finishes:














- Accommodates 10 to 12mm glass
- Used to secure two panels of glass together at 135°
- Available in multiple finishes

The 135° clamp will secure two equal back mitred glass panels together to make an internal angle of 135°.



however our finishes listed will match other bathroom products. These should be used as a guide only. 'XX' in the code





#### Code: UB.WH90.XX

- Accommodates 10 to 12mm glass
- Available in multiple finishes

These stylish heavy duty wall mounting brackets are for use when extra support is required for the fixed panel.

## **Heavy Duty Wall Mount Bracket** 54mm 51mm 1 89mm Front View **Rear View** Finishes: Please note: Finish images are not a true representation of colour of final product





Code: UB.GH90.XX

- Accommodates 10 to 12mm Glass
- Available in multiple finishes

For use where additional support is required when connecting two panels together.

## Heavy Duty Glass-to-Glass Bracket 5mm 51mm 52mm 89mm 4 Front View **Rear View** Finishes: Please note: Finish images are not a true representation of colour of final product however our finishes listed will match other bathroom products. These should be used as a guide only. 'XX' in the code



### Handles

For full product information please click on an image




Code: RGK.200.XX



Code: SGK.200.XX



Code: RSK.200.XX



Code: SPK.200.XX



Glass Unlimited - Fittings

Codes: SMH2.V152.XX



Codes: RMH2.V152.XX




Codes: RDH2.V152.XX RDH2.V263.XX



.

Codes: RLH2.V152.XX RLH2.V203.XXX



SMH2.H457.V152.XX SMH2.H457.V203.XX SMH2.H610.V152.XX

SMH2.H610.V203.XX



Codes: SMH2.H457.XX SMH2.H610.XX



Codes: RMH2.H457.XX RMH2.H610.XX



Codes: SMT.H457.XX SMT.H610.XX



Codes: RMT.H457.XX RMT.H610.XX



**RDT.H457.XX** 






#### Code: RGK.200.XX

- Solid brass material
- Fits 10 to 12mm thick glass
- Back-to-back knob
- Available in multiple finishes

#### Contemporary Style Back-to-Back Shower Door Knobs



Finishes:










Brushed Nickel





- Code: SGK.200.XX
- Square shape to match configuration of other square cornered hinges
- Fits 10 to 12mm thick glass
- Attractive ribbed appearance
- Back-to-back knob
- Available in multiple finishes

#### Square Back-to-Back Style Knobs



Finishes:














- Solid brass material
- Fits 10 to 12mm thick glass
- Back-to-back knob
- Available in multiple finishes

Single sided version can be combined with either "D" handle model RMT or RDT to make an external towel rail/pull handle with internal pull Knob.








#### Code: SPK.200.XX

- Solid brass, square shape to match configuration of other square cornered hinges
- Fits 10 to 12mm thick glass
- Clean simple lines with finger groove.
- Back-to-back knob
- Available in two finishes

#### Square Door Knob 30x30x30mm



Finishes:



representation of colour of final product however our finishes listed will match other bathroom products. These should be used as a guide only. 'XX' in the code





- Stocked in popular 152 and 203mm sizes
- Fits 10 to 12mm thick glass
- Square Corners Make this Handle the Ideal Choice to Match Square Cornered Hinges
- Available in multiple finishes


# Square Tubing Back-to-Back Pull Handle For centre dims see description Finishes: Please note: Finish images are not a true





- An Attractive Handle to Add Contrast to Decor
- Fits 10 to 12mm thick glass
- Stocked in Popular 152mm and 203mm Sizes
- Available in multiple finishes

#### Round Tubing Mitered Corner Back-to-Back Pull Handle



Finishes:










Brushed Nickel





- Fits 10 to 12mm thick glass
- Heavy 19mm Diameter Tubular Construction (1.5mm Thick)
- No Metal Washers Creates a Sleek, Continuous Profile
- Available in multiple finishes
- Fits 10 to 12mm thick glass
- Stocked in Popular 152mm and 203mm Sizes
- Available in multiple finishes

#### Tubular Back to Back D Handle without washers



Finishes:










Brushed Nickel





- Fits 10 to 12mm thick glass
- An Attractive Handle to Add Contrast to Decor
- Stocked in Popular 152 and 203mm centres with a Diameter of 19mm
- Available in multiple finishes

#### Ladder Style Back-to-Back Pull Handle



Finishes:









Presented Nickel






Codes: SMH2.H457.V152.XX SMH2.H457.V203.XX SMH2.H610.V152.XX SMH2.H610.V203.XX

- Fits 10 to 12mm thick glass
- Available in multiple finishes
- Made of 19mm Brass Tubing

#### Available in sizes:


- SMH2.H457.V152 457mm x 152mm
- SMH2.H457.V203 457mm x 203mm
- SMH2.H610.V152 610mm x 152mm
- SMH2.H610.V203 610mm x 203mm








- Fits 10 to 12mm thick glass
- Square corners make this towel bar the ideal choice to match square cornered hinges
- No metal washers allows continuity of square profile
- Stocked in popular 457 and 610mm sizes
- Available in multiple finishes








- Fits 10 to 12mm thick glass
- Round Tubing with Mitered Corners Makes This an Attractive Towel Bar That Adds Contrast to Décor
- Stocked in Popular 457 and 610mm centres
- Available in multiple finishes.







- Fits 10 to 12mm thick glass
- Clean and Modern Look
- Available in multiple finishes
- Two Sizes Available 457mm and 610mm centres








RMT.H610.XX

• Fits 10 to 12mm thick glass

- Round Tubing with Mitered Corners Adds Contrast to Décor
- No Metal Washers Creates a Sleek, Continuous Appearance
- Stocked in Popular 457 and 610mm centres
- Available in multiple finishes








• Fits 10 to 12mm thick glass

RDT.H457.XX

- Low Profile End Caps are Ideal for Bypass **Sliding Doors**
- Available in several sizes
- Heavy 19mm Diameter Tubular Construction (1.5mm Thick)
- Available in multiple finishes

Available in sizes; 305, 457, 508, 559, 610 & 660mm

Can be combined with Pull Knob RSK.100.XX to create a slimline towel bar with pull knob on shower door.



# TRUE FRAMELESS®

### Sundry Fittings

For full product information please click on an image



**SURFACE MOUNTED U-CHANNEL** 



**RECESS U-CHANNEL** 



FRAMELESS SLIDING **TRACK - SHOWERS** 



TRACK - SURFACE



Glass Unlimited - Fittings

FRAMELESS SLIDING TRACK - RECESS



**DOOR STOP** 



**SEALS** 



**SUPPORT BAR** 



NARROW **SHELF CLAMPS** 



**DEEP SHELF CLAMPS** 




**DOOR LATCH** 







- For 10 or 12mm thick glass
- Wet glazed with clear silicone to secure glass
- Available in 2.49m or in 3.66m lengths
- End caps offered to conceal ends
- Available in 2 depths either 19mm or 10mm







- For 10 or 12mm thick glass
- Available in multiple finishes

The Glazing channels are available in a variety of finishes. We carry all widths and depths of channel, which can be used to support and stabilise Glass from 10 to 12mm. other sizes can be produced upon request.


#### Available in sizes:

10mm Glass:

12x15mm, 12x20mm, 12x25mm, 12x30mm

12mm Glass:

15x15mm, 15x20mm, 15x25mm, 15x30mm








- An Idea solution for tiled, wet room floors as there is no under frame
- The system incorporates rollers above the header support bar with anti lift fittings below, providing an almost floating appearance
- Available in the following combinations:
  - sliding door and one fixed panel for a niche
  - Fixed panel, door with a returned fixed panel at 90° for a corner enclosure.
- Maximum door size 750mm. Maximum span 2 Metres.
- Choice of two finishes.

#### Frameless Sliding Shower Screen Track. Code: SL.100.XX





2 x Rollers



2 x Stoppers



2 x Track holder fitting for

fixed panel



2 x Anti lift fittings



Thru-glass pull



2 x Track holder fitting for wall

Finishes:










- Sliding track with anti lift device.
- Can be used either face mounted to walls or glass partitions.
- Glass can be either 10 or 12mm
  Tempered Glass
- Available in Brushed Stainless Steel.

#### Surface Mounted Sliding Track for Shower or Entrance. Code: SL.200



Finishes:



Please note: Finish images are not a true representation of final product due to differing monitor settings and should be used as a guide only. "XX" in the code denotes finish, please specify.






- New Anti-Lift Design
- Assembly Contains All Necessary Hardware to Complete the Installation
- Suitable for 10 or 12mm tempered glass
- Available in satin anodized

This Recessed Sliding Track can be used in many combinations:

- Door and fixed Panel
- Panel, Door, Panel
- Panel, Door, Door, Panel

As well as combining with Return Panels and Dividing Panels.

#### Recess Sliding Track for Showers or Entrances. Code: SLR.100.XX



Finishes:



Please note: Finish images are not a true representation of final product due to differing monitor settings and should be used as a guide only. 'XX' in the code denotes finish, please specify.






#### **DOOR STOP**

- Turns Double Acting Door Into Single Acting One-Way Door
- Provides Positive Stop
- Available for Single and Double Doors
- For Use with Continuous Header


Polished Stainless Steel Header Mounted Single Door Stop








- SSI stocks a comprehensive range of seals to accommodate all design solutions
- SSI specifies all seals required for their enclosures so you don't have to
- SSI offers a seals replacement service but does not sell seals separaely








- Fits 10 to 12mm thick glass
- Available in two finishes.







- This Set is for providing Glass-to-Wall support. Other combinations are available upon request.
- 19 mm diameter straight rod is available up to 2.32m long
- Available in multiple finishes









- For 8 to 10mm thick glass
- Maximum shelf depth 120mm
- Stocked in three finishes. Other finishes available upon request

#### **Shelf Clamps for Narrow shelves**

BF.100.XX



BF.200.XX



Finishes:









- Adjustable between 3 and 25mm thick glass glass shelves
- No glass fabrication required
- Available in two finishes
- BAS.100.XX Max shelf depth 250mm max load per set of two 36Kg
- BAH.100.XX Max shelf depth 300mm max load per set of two 45Kg
- 10mm Glass = 25kg per sq/m
- 12mm Glass = 30kg per sq/m

#### Shelf Clamps for Deep shelves





Finishes:








- The Latch is operated by turning the knob from either side of the glass door
- The Latch can be used in conjunction with a keep for wall installation or with a locating hook UV bonded to a glass panel for glass installations.
- For use with 10mm to 12mm Tempered **Glass Doors**
- Available in multiple finishes

#### Combined Double Knob and Latch



Finishes:











Please note: Finish images are not a true representation of colour of final product however our finishes listed will match be used as a guide only. 'XX' in the code





#### Squeegees

- A choice of two shower Squeegees
- Includes strong suction cup holder for handy storage
- Perfect for for keeping shower enclosures looking pristine
- Replacement Blades Available

#### Squeegees



This Deluxe Shower Squeegee is designed with a chrome plated, zinc die-cast handle that is rust and tarnish free. The polished stainless steel blade holder secures a 254mm wide, grey coloured blade that effectively removes water spots and soap film from all types of bathroom surfaces. It's a fast and easy way to keep a spotless shower. The Squeegee hangs on an attractively designed suction hook that installs easily onto the shower wall. The blade is reversible to extend its service life. Replacement blades are available.



The acrylic handle Crystal Clear Squeegee can be used after each shower to quickly wipe the glass to a spot-free finish, assisting in preventing mildew. The stylish, ergonomically designed handle is made of durable acrylic, and the stainless steel blade holder has a 254mm rubber blade. The Crystal Clear Squeegee will be rust and tarnish free, and comes with a strong suction cup holder for convenient storage.